

Development of the Main Petroleum Pipe Lines
in the Five-Year Plan 1956-1960, by S. S. Popov,
12 pp. UNCLASSIFIED

per,

RUSSIAN, Neft Khoz. Sep 1957, pp 44-50.

ACBI, H-0192

Tech and Comm \$60.00

58, 468

USSR

Econ

Feb 58

Progressive Means of Draining or Discharging of
High Viscous Petroleum Products, by E. K. Smirnov.

RUSSIAN, per, Neft Khoz. Vol IX, 1957, pp 51-58.

Tech and Com
\$65.00

USSR
Econ

Sci - Fuels

Apr 58

62,172

Intermediate Volumetric Calibration of Reservoirs
and Containers With Cylindric Bottom, by E. N.
Lessig.

RUSSIAN, per, Heft Khoz, Vol IX, 195⁷~~8~~, pp 59-63.

~~Heft Khoz~~
Tech and Com
\$30.00

Sci - Engr, fuels

Apr 58

62,166

Tatarskiy Council of National Economy, by A. S.
Smirnov

IX 63, 64.
RUSSIAN, per, Neft Khoz, Vol X, 1957, pp ~~33-38~~.

Tech and Com
\$17.00

USSR
Econ

Apr 58

62,167

First Industrial Experiment in Turbodrilling in
West Germany, by R. A. Yoannesian.

RUSSIAN, per, Neft Khoz, Vol IX, 1957, pp 65-72.

Tech and Com
\$50.00

W

EUR - Germany

Econ

Sci - Engr

Apr 58

62,164

First Experiment of Industrial Drilling of Wells
With Turboborer in West Germany, by R. A.
Yoannesian.

RUSSIAN, per, Neft Khoz, Vol IX, 1957 (2d part).

Tech and Com
\$65.00

WEur - Germany

Econ

Spt 58Engr

62,165

The Economic Importance of Increasing the Commercial
Drilling Rate for Wells, by V. F. Shmatov.

RUSSIAN, per, Neft Khoz. Vol X, 1957, pp 1-5.

Tech and Com
\$35.00

USSR

Econ

Apr 58

61,485

Evaluation of the Efficiency of the Method for
Preventing Catching or Pinching at Drilling, by
N. A. Geiman.

RUSSIAN, per, Neft Khoz, Vol X, 1957, pp 11-16.

Tech and Com
\$55.00

Sci - Engr

Apr 58

61,465

The Effect of Vibration on the Cutting Rate With
One Chisel, by D. D. Barkan.

RUSSIAN, per, Neft Khoz, Vol X, # 1957, pp 17-20.

~~Trans~~

Tech and Com

\$35.00

ATS-RJ-1026

Sci - Engr

Apr 58

61,458

The Problem of Classifying Rocks According to
Mechanical Properties, by T. V. Oblenkhov.

RUSSIAN, par, Neft Khoz, Vol X, 1957, pp 21-23.

Rock and Con
\$30.00

Sci - Engr

Apr 58

OTS TT-62-26743 (RUSSIAN -> FRENCH) 61,459

Introducing New Techniques and Technology for the
Development of Petroleum Deposits in Tatarii,
by V. A. Eronin.

RUSSIAN, per, Neft Khoz, Vol X, 1957, pp 24-31.

Tech and Com
\$70.00

Sci - Engr

Apr 58

62,187

On the Development of the Strata B1 of the
Zhirnovskiy Oil Fields, by A. G. Gabrielian.

RUSSIAN, per, Neft Khoz, Vol X, 1957, pp 32- 38.

Tech and Com
\$70.00

Sci - Engr

Apr 58

62,188

The Loss or Waste of Petroleum Side Gases and Their
Efficient Utilization, by A. I. Kutukov.

RUSSIAN, per. Neft Khoz, Vol X, 1957, pp 39-44.

Tech and Com
\$50.00

Sci - Fuels

Apr 58

62,181

Re

The Development of Petroleum Deposits by Selecting at
the Same Time Gas From the Gas Cap, by A. V. Afanas'eva.

RUSSIAN, per, Neft Khoz. Vol X, 1957, pp 44-51.

Tech and Com
\$65.00

Sci - Fuels

Apr 58

62,182

The Influence of the Regime of Pumping on the
Efficiency of the Piston Rod of the Pump, by
B. B. Kruman.

RUSSIAN, per, Neft Khoz, Vol X, 1957, pp 51-54.

Tech and Com
\$30.00

Sci - Engr

Apr 58

62,183

Mechanized Chemical Dressing of Reservoirs, by
P. R. Taube.

RUSSIAN, per, Neft Khoz, Vol X, 1957, pp 55-58.

Tech and Com
\$30.00

Sci - Chem, Engr

Apr 58

62,168

Preheater for Hermetic Discharge of Oil From
Railroad Tankcars, by I. P. Rusetskiy.

RUSSIAN, per, Neft Khoz, Vol X, 1957, pp 58-62.

Tech and Com
\$30.00

Sci - Engr

Apr 58

62,169

The Petroleum Industry of USSR During the Fourth
Years Since the Great October Socialist Revolution
(A Review of the Development).

RUSSIAN, per, Neft Khoz, Vol XI, 1957, pp 1-14.

Tech and Com

USSR
Econ

Apr 58

62,223

The Technical Process in the Petroleum Industry Over
Forty Years, by F. A. Trebin.

RUSSIAN, per, Neft Khoz, Vol XI, 1957, pp 15-25:

Tech and Com

USSR

Econ

Apr 58

62,224

The Development of Drilling Over the Years of the
Soviet Rule, by N. S. Timofeyev.

RUSSIAN, per, Neft Khoz, Vol XI, 1957, pp 26-33.

Tech and Com

Sci - Engr

Apr 58

62,217

The Progress in the Field of Transport and Storage
of Petroleum and Petroleum Products Over Forty
Years, by L. A. Matskin.

RUSSIAN, per, Neft Khoz, ^{No} Vol XI, 1957, pp 34-40.

Tech and Com

Sci - Fuels

USSR

Econ

Apr 58

Head, Lib & Sec

AIO

LC

62,218

Accurate Setting of Turboborer, by P. S. Drobotov.

RUSSIAN, per, Neft Khoz, Vol XI, 1957, pp 41-46.

Tech and Com

Sci - Engr

Apr 58

62,219

Drilling of Multiple Mining Wells in the Borislav
Field, by M. P. Panov.

RUSSIAN, per, Neft Khoz, Vol XI, 1957, pp 47-49.

Tech and Com

Sci - Engr

Apr 58

62,220

Drilling Experiment With Sectional Turbodriller, by
V. N. Polyakov.

RUSSIAN, per, Heft Khoz, Vol XI, 1957, pp 49, 50.

Tech and Com

Sci - Engr

Apr 58

62,213

To the Determination of the Pressure Change at the
Mining Place of Wells by the Movement of the Drilling
or Driving-Pipes in Their Column, by W. A. Gukasov.

RUSSIAN, per, Neft Khoz, Vol XI, 1957, pp 51-54.

Tech and Com

Sci - Engr

OTS 61-17355

Apr 58

62,214

Isolation of Bottom-Water at the Application of
Hydro-Rupturing of the Strata at the Tuimaza Oil
Field, by A. K. Krupnov.

RUSSIAN, per, Neft Khoz, Vol XI, 1957, pp 55-58.

Tech and Com

ATS RJ-1345

Sci - Engr

Apr 58

62, 215

To the Results of Blowing Air Into the Strata for
Ten Years at the Oil Fields of Kura-Tsetse, by
B. P. Mikerin

RUSSIAN, par, Neft Khoz, Vol XI, 1957, pp 59-61.

Tech and Com

Sci - Engr

Apr 58

62,216

The Effect of Washing Liquids (Drilling Muds) on the
Penetrability of the Core Sample, by K. F. Zhigach.

RUSSIAN, per, Neft Khoz, Vol XI, 1957, pp 62-67.

Sci - Engr

Tech and Com

Apr 58

62,313

Repeated Hydro-Rupture of the Strata, by A. G. Durmish'-
ian.

RUSSIAN, per, Neft Khoz, Vol XI, 1957, pp 67-70.

Tech and Com
\$30.00

Sci - Engr

Apr 58

62,314

The Petroleum Industry in Turkey, by D. I.
Vdovichenko.

RUSSIAN, per, Neft Khoz, Vol XI, 1957, pp 70-72.

Tech and Com
\$20.00

NE/A - Turkey

Econ

Apr 58

62,315

Production of Water-Free Oil From Deposits With
Bottom Water, by M. G. Osipov, 12 pp.

RUSSIAN, per, Neft Khoz, USSR, 1957, Vol XXXV,
No 12, pp 42-51.

175 15-15 77
Assoc Tech Serv 36K26R
15.75

Sci - Fuels
OTS I, 4
Apr 59

85,268

The Displacement of Oil From Water-Invaded
Beds by Liquefied Gas, by A. S. Velikovskiy,
V. P. Terzi, 6 pp.

RUSSIAN, per, Neft Khov, SSSR, Vol XXXV, No 12,
1957, pp 51-55.

Assoc Tech Serv 37K26R

" " " RJ-15758

Sci - Fuels
OTS I, 4
Apr 59

85,270

Evaluation of the Efficiency of Fishing Methods in
Drilling, by M. A. Geyman, I. I. Khasmurzin, 7 pp.

RUSSIAN, per, Neft Khoz, Vol. XXIV, No 10, 1957,
pp 11-16.

ATB-45L36R

Sci

Jun 60

Vol III, No 5

119,166

Means of Increasing the Wear Resistance of Turbo-
drill Thrust Bearings, by A. V. Kal'chenko, A. A.
Silin, 6 pp.

RUSSIAN, per, Neftyanaya Khimiyastvo SSSR, Vol
XXXVI, No 1, 1978, pp 9-15.

Assoc Tech Serv 31K262
8.75

Sci - Engr
OTS I, 4
Apr 59

85,264

Experience and Prospects ~~XX~~ of the Industrial use of Hydrodrills, by A. A. Minin, K.A. Chefranov, 19 pp.

RUSSIAN, per, Neft Khoz USSR, Vol XXXVI, No 2, 1958, pp 13-18.

OTS 62-16439

Sci-Engr
Dec 63

An Evaluation of Various Modes of Rock Disintegration,
by A. N. Adamov, 9 pp.

^{REV,}
RUSSIAN, ~~Neftyanaya Khoz~~ (USSR), Vol XXVI, No 2,
1958, pp 7-13.

Assoc Tech Sr
38K26R

Sci - Chem

Apr 59

OTS, V. I, No 5

OTS 62-14579
ATS-38 K26R

86,178

OTS TT-62-26360 (RUSSIAN to FRENCH)

Experiment in Slim Hole Drilling, by A. N.
Babikov. UNCL

RUSSIAN, per, Neft Khoz, Vol XXXVI, No 2,
1958, pp 19-22.

ATS RJ-1769

Sci - Engr
Dec 59

103,501

Alekseev, L.G.
ANALYSE DU TRAVAIL DANS LES LIEUX DE
FIXATION DES CYLINDRES ET DANS LE GARNIS-
SAGE DES FERMETURES DES POMPES DE FORAGE
(Efficiency of Fastening the Cylinders and Packing the
Fastenings of Pumps for the Bore Holes). 9p.

CNRS-XXV 309.
Order from OTS, ETC or CNRS \$0.95 TT-62-26362

Trans. ~~in French~~ of Neftyanoe Khozyaistvo 1958, v. 36,
no. 2, p. 23-25.

DESCRIPTORS: *Pumps, Pipes, *Fastenings, *Seals,
Boreholes.

(Machinery--Machine Parts, TT, v. 11, no. 6)

TT-62-26362

I. Alekseev, L.G.
II. CNRS-XXV 309
III. Centre National de la Recher-
che Scientifique, Paris

Office of Technical Services
European Translations Centre

Test Drilling of a Deep Well With an 8" Electrodrill
by A. A. Avetisyan, G. O. Amirdzhanyants, UNCL

RUSSIAN, per, Neft Khoz, Vol XXXVI, No 3, 1958,
pp 12-15.

ATS RJ-1767

Sol - ENG

Dec 59

103,499

New Equipment for Mechanization and Automation of
Elevator Operations in Drilling, by R. P. Raygorod-
skiy, 10 pp.

RUSSIAN, for Novo Zhon UMSN, Vol XEXVI, No 3,
1978, pp 15-24.

ATS 39A26R

Sci - Engr

May 59

MSI, 7

89,455

Pitch of Cone Bit Teeth, by V. G. Belikov, 7 pp.

~~RESEARCH~~, par, Best Khos (USSR), Vol XXVI,
No 3, 1958, pp 28-33.

Assoc Tech Serv
40026R

Sai - Eng
May 50
Cad, V I, No 6

86, 351

Regarding N. A. Gazarov's Article "Kinematics of
Tri-Cone Bits", by A. Ya. Grigoryan, 3 pp.

RUSSIAN, per, Beft Khos (USGR), Vol XIXVI,
No 3, 1958, pp 33-35.

Assoc Tech Serv
41K262

Sci - Engr
May 59
OSR, V I, No 6

86,352

Basic Physical Properties of Formation Oil and
Water and their Changes Throughout the Depth of
the Tuimazy Oil Field, by A. I. Zhalonkin, I. P.
Nikolayev, 4 pp.

RUSSIAN, per, Neft Khoz., Vol XXXVI, No 3, 1958,
pp 42-45.

ATS 74129R

Sci. - Fuels
Sep 59
Vol 2, No 2

98,025

On the Article by I. I. Kuras, "Mechanics of Deflecting
Directional Holes", by Yu. S. Vasil'ev, G. A.
Shetler, 3 pp.

RUSSIAN, per, Naftyanoye Khoz (USSR), Vol XXXVI, No 4,
1958, pp 31, 32.

Assoc Tech Br
43826N

Sci - Engineering

Apr 59

OTB, V. I, No 5

86,183

Sand Movement in Horizontal Fissures Formed
by Hydraulic Formation Fracturing, by A. M
Izyumova, and N. N. Shen'gin, 8 pp.

^{RUSSIAN} ~~RUSSIAN~~, ^{RUSSIAN} ~~RUSSIAN~~ Zhos, Vol XXXVI, No 4,
1958, pp. 44-50.

Assoc Tech SR
35826R

Sci - Engineering
Apr 59
OEB, V. I, No 5

86,180

Efficiency of 56-12st Bits, by V. N. Polyakov, V. M. Karpov, 5 pp.

RUSSIAN, per, Beftyanoye Khoz (USSR), Vol XXXVI, No 5, 1958, pp 19-22.

Assoc Tech SR
44X26R

Sci Engineering
Apr 59
OEE, V. I, No 5

86,182

Hydraulic Fracturing of a Formation with
Subsurface Observation of the Fracture Zone,
by P. M. Ushakov, et al. 1968

Russian, per, Neft Khoz. Vol XXVI, No 5,
1968, pp 28-37.

AMS 83-1787

ATS 97L 30R

Sol - Engt

Doc by

103,510

Mechanism of Fracture Enlargement in Hydraulic
Fracturing of Carbonate Reservoirs, by Yu. N.
Vasilyev, 7 pp.

RUSSIAN, per, Neft Khoz, Vol XXXVI, No 6, 1958,
pp 32-36.

ATB 91130R

97,301

Sci-Engr
Vol 2 No 1

The Use of Radioactive Isotopes in Well Logging, by S.
Y. Kim, A. Sh. Galyavich, & pp.

RUSSIAN, Neft Khoz (USSR), Vol XXVI, No 6, 1958,
pp 36-39.

Assoc Tech Serv
12227R

Sci - Repr
May 59
OES, V E, No 6

Lib of Geological Survey of
Canada

86,345

Kusakov, M.M. and Gudok, N.S.
INFLUENCE DES PRESSIONS EXTERIEURES SUR LES
PROPRIETES DE FILTRATION DES ROCHES PETROLI-
FERES (Influence of External Pressure on Filtration
Properties of "Oil-bearing Rocks" 17p. 15refs
CNRS-XXV 344.
Order from OTS, ETC or CNRS \$0.80 TT-62-26726

Trans. in French of Neftyanoe Khozaystvo (USSR)
1958, v.36, no.6, p.40-47.

DESCRIPTORS: *Petroleum, *Rock (Geology), Pres-
sure, Filtration, Mechanical properties, Elasticity,
Plasticity, Compressive properties, Irreversible
processes.

(Materials--Fuels, TT, v. 11, no. 6)

TT-62-26726

- I. Kusakov, M.M.
- II. Gudok, N.S.
- III. CNRS-XXV 344
- IV. Centre National de la Recher-
che Scientifique, Paris

Office of Technical Services
European Translations Centre

Merkulov, V.M.
SUR LE DÉBIT DES PUITTS INCLINÉS ET HORIZON-
TAUX (O Debite Naklonnykh i Gorizonta'nykh
Skvazhin) (The Output of Inclined and Horizontal Wells),
16p. (foreign text included). 3refs. CNRS-XXV 464.
Order from OTS, ETC or CNRS \$0.80 TT-62-26404

Trans. in French of Neftyanoe Khozayaistvo (USSR)
1958, v.36, no.6, p.51-56.

DESCRIPTORS: *Petroleum, *Mining engineering,
Hydrodynamics, Fluid mechanics, Well drilling.

(Materials--Fuels, TT, v. 11, no. 6)

TT-62-26404

I. Merkulov, V.M.
II. CNRS-XXV 464
III. Centre National de la Recherche
Scientifique, Paris

Office of Technical Services
European Translations Centre

High-Speed Pipeless Slim Hole Electrodrill, by
A. A. Minin, A. A. Pogarskiy. UNCL

RUSSIAN, per, Naft Khoz, Vol XXVI, No 7, 1958,
pp 6-13.

AMS RJ-1768

Sci - Engr

Dec 59

103,500

Mechanism of Well Drilling with Explosives, by
A. I. Gol'binder, E. B. Egan, A. P. Ostrovskiy,
4 pp.

~~Ref. Nos.~~
RUSSIAN, per ~~Vol XXVI~~, No 7, 1958, pp 13-16.

Assoc Tech Serv
39827R

Sci - Engr
May 59
OTS; V I, No 6

86,360

Indexes of Production Decline in Wells After
Hydraulic Fracturing, by F. I. Denisov, 5 pp.

RUSSIAN, per, Neft Khoz., Vol XXXVI, No 7, 1958,
pp 52-55.

ATS 9CL3CR

Sci - Engr

3, No 1

97,296

Memorandum for Computations in Connection with Hydraulic Fracturing, by D. E. Hunsicker. 1966.

SECRET

442 35-2790

ATS 17L30R

100 - 600

Doc 59

OTS TT-62-26403 (RUSSIAN to FRENCH)

Petroleum Supply to East Siberia, by P. Ya. Bayder.
(USSR Materials and Materials Processing Equipment, 3).

RUSSIAN, per, Neftyanoye Khozyaystvo, No 8, Aug 1958,
pp 12-16.

USSR

Econ

Sci Petroleum Production

Oct 58

AF 1187249

75,411

Determination of Formation Characteristics From
Pressure Restoration Curves With Consideration of
the Fluid Flow Into a Shut-In Well, by P. A. Erabin,
Yu. P. Borisov, E. D. Mykharakiy, 12 pp.

RUSSIAN, par, Beft Khov, USSR, Vol XXXVI, No 8, 1958,
pp 38-45.

AKS-35R27R

Sci - Engineering, Fuels
May 59
OTS V. I, No 8

89,016

Trebin, F. A., Borisov, Yu. P., and Mukharskil,
[E.] D.

DETERMINATION OF THE FORMATION-PARAMETERS
FROM THE PRESSURE BUILDUP CURVE, TAKING
INTO ACCOUNT THE FLOW OF LIQUID INTO THE
WELL AFTER SHUT-IN, PT. 1 [K Opredelelyu
Parametrov Plasta po Krivym Vosstanovleniya Davleniya
s Uchetom Paritoka Zhidkosti v Skvazhinu Poale Ee
Zakrytiya]. [1962] [20]p. 10 refs.

Order from OTS or SLA \$1.60

62-16659

Trans. of Neftyanoe Khozyalstvo (USSR) 1958 [v. 36]
no. 8, p. 38-40.

Another trans. is available from ATS \$9.95 as
ATS-35K27R [1958] 12p.

DESCRIPTORS: *Petroleum, Sources, Hydraulic
reservoirs, Fluid flow, Pressure, Permeability,
Mathematical analysis, Hydrodynamics, Mining
engineering.
(Engineering, TT, v. 10, no. 2)

62-16659

I. Trebin, F. A.
II. Borisov, Yu. P.
III. Mukharskil, E. D.

Office of Technical Services

Down-Hole Heating Devices, by A. I. Sergeyev, A.
B. Sheliman, 8 pp.

FISHERMAN, East Eng, Vol XXXVI, No 8, 1958,
pp 46-53.

Assoc Tech Serv
36427R

Sci - Engr
May 59
JTB, 7 I, No 6

86,355

Hydraulic Formation Fracturing in Deep Flowing
Wells at Oil Field No 1, NPU Dolinaneft, by
N. I. Shubin, V. I. Andruschko,,6 p.

RUSSIAN, per, Neft Khoz 1958, Vol XXXVI,
No 8, pp 65-69.

ATS-46L35R

RTS-2319-RJ

111,695

Sci

Apr 60

Vol III, No 2

Method of Regulation of Weight on Bit G,
in Turbodrilling, by V. S. Fedorov, 5 pp.

RUSSIAN, per, Neft Khoz., 1958, Vol XXVI,
No 9, pp 14-17.

ATS-77L28R

Sci - Engr
OTB I, 12
Jul 59

92, 273

Formation of Vertical Fractures in Hydraulic
Fracturing, by M. P. Panov, E. A. Ivanitskiy,
et al., 6 pp.

RUSSIAN, per, Neft Khoz, 1958, Vol XXXVI,
No 9, pp 56-59.

ATS-78128R

Sci - Engr
OCS I, 12
Jul 59

92, 275

Trebin, F. A., Borisov, Yu. P., and Mukharskii,
[E.] D.

DETERMINATION OF THE FORMATION-PARAMETERS
FROM THE PRESSURE BUILDUP CURVE, TAKING
INTO ACCOUNT THE FLOW OF LIQUID INTO THE
WELL AFTER SHUT-IN, PT. II. [K Opredeleniya
Parametrov Plasta po Krivym Vostanovleniya Davleniya
s Uchetom Pritoka Zhidkosti v Skvazhinu Posle Ee
Zakrytiya]. [1962] 13p.

Order from OTS or SLA \$1.60

62-16660

Trans. of Neftyanoe Khozyaistvo (USSR) 1958 [v. 36]
no. 9, p. 40-47.

DESCRIPTORS: *Petroleum, Sources, Hydraulic
reservoirs, Fluid flow, Pressure, Permeability,
Mathematical analysis, Hydrodynamics, Mining
engineering.

(Engineering, TT, v. 10, no. 2)

62-16660

I. Trebin, F. A.
II. Borisov, Yu. P.
III. Mukharskii, E. D.

Office of Technical Services

Increases in the Drift Angle and Azimuth of Hole
Deviation made possible by the use of Deflectors in
Turbo-drilling. by Shagin, A.N.

RUSSIAN, per, Naftyanoe Khozyaistvo, Vol 36 No 9,
pp 18-26. 1958

ETC-69-35648

Mar 70

403,338

Vasil'ev, Yu.N.
SUR LE MOUVEMENT DES MÉLANGES HYDRO-
SABLONNEUX DANS LES FENTES (O Dvizhenii
Peschano-Zhidkostnykh Smesi po Shchelyam) (The
Movement of Mixtures of Water and Sand in Fissures).
12p. (foreign text included) 3refs. CNRS-XXV 426
Order from OTS, ETC or CNRS \$1.10 TT-62-26391

Trans. in French of Neftyanoe Khozyaistvo (USSR)
1958, v.36; no.10, p.35-39.

DESCRIPTORS: Mining engineering, Sand, Water,
*Hydrodynamics, Mixtures.

(Earth Sciences--Geology, TT, v. 11, no. 6)

TT-62-26391

I. Vasil'ev, Yu.N.
II. CNRS-XXV 426
III. Centre National de la Recherche Scientifique, Paris

Office of Technical Services
European Translations Centre

From an "Oil Cemetery" to a Highly-Developed
Oil Industry, by Ye. Gal'peron,
L. Tomashpol'skiy, 4 pp.

RUSSIAN, per, Neftyanoye Khoz, Vol XXXVI,
No 10, 1958, pp 68, 69.

ATS-12441R

Sci
10 Mar 62
Vol 4, No 4

187,747

Drilling Practice With Slim Cone Bits, by
A. A. Pogarskiy,

RUSSIAN, per, Neft Khoz, Vol XXXVI, No 11, 1958,
pp 18-20.

ATS 2305-RJ

Sci - Engr

Sep 60

124,894

The Use of Plastic Drill Pipes in Drilling Deep
Wells, by N. V. Kulikov, 4 pp.

RUSSIAN, per, Neft Khoz, Vol XXXVI, No 11, 1958,
pp 28-30.

ATS-34L3CR

Sci - Engr
Sep 59
Vol 2, No 1

97910

The Deformation of Gel Cement During Perforation,
by S. I. Lantsevitskaya, et al. 3 *pp*

RUSSIAN, per, Neft Khoz, Vol XXXVI, No 12, 1958,
pp 26-28.

ATS 2309-RJ

ATS-45 M38R

Sci - Engg

Sep 60

124,897

Hydraulic Formation Fracturing in Injection
Wells of the Akhtyrsk-Bugundyrsk Oil Field,
by A. R. Garushev, 5 p.

RUSSIAN, per, Nefti Khoz 1958, Vol XXXVI,
No 12, pp 33-35.

ATS-47L35R

ATS-2318-RJ

Sci
Apr 60
Vol III, No 2

111, 692

Fluid Flow Near the Bottom of the Hole During
Hydraulic Formation Fracturing by Yu. M. Shekhtman,
I. F. Kuranov, A. A. Larin, 7 p.

RUSSIAN, per, Neft Khoz, 1958, Vol XXXVI, No 12,
pp 40-45.

Sci
Apr 60
Vol III, No 2

⁴
ATS-48L35R

ATS-2317-R5

111,694

Chekalyuk, E. B.
CALCULATION METHOD OF PHYSICAL PARAME-
TERS OF FORMATIONS. 15 Jan 60 [18]p. 3 refs.
Order from SLA \$1.60 62-18533

Trans. of an Italian translation of Neftyanoe
Khozyaistvo (USSR) 1958 [v. 36] no. 11, p. 42-48.

DESCRIPTORS: *Well drilling, Boreholes,
*Petroleum, Deposits, Fluid flow, Pressure,
Integrals.

(Earth Sciences--Geology, TT, v. 9, no. 11)

62-18533

I. Chekalyuk, E. B.

Office of Technical Services

Suggestions Relative to the Simplified Method
for the Interpretation of the Results of
Pressure Restoration in Wells, Taking Into
Account the Influx of Fluid After Their
~~Shutdown~~ Shutdown, by F. A. Trebin, G. V.
Shcherbakov. UNCL

RUSSIAN, per, Neft Khoz, Vol XXXVII, No 1,
1959, pp 55-57.

write on other
ATS RJ-1828 *ditto*

Cup
Sci - ~~Geophys~~
Jan. 60

Methods of Improving Electrodrills, by A. P.
Ostrovukiy. UNCL

RUSSIAN, per, Naft Khoz, Vol XXXVII, No 1, 1959;
pp 36-43.

ATS RJ-1766

Sci - Engr

Dec 59

103,498